

ELNEC

END-OF-LIFE NURSING EDUCATION CONSORTIUM

SuperCore Curriculum

FACULTY

GUIDE

Master Reference List

Copyright City of Hope and American Association of Colleges of Nursing, 2007.

The End-of-Life Nursing Education Consortium (ELNEC) Project is a national end-of-life educational program administered by City of Hope (COH) and the American Association of Colleges of Nursing (AACN) designed to enhance palliative care in nursing. The ELNEC Project was originally funded by a grant from The Robert Wood Johnson Foundation with additional support from funding organizations (the National Cancer Institute, Aetna Foundation, California HealthCare Foundation, and Archstone Foundation). Further information about the ELNEC Project can be found at www.aacn.nche.edu/ELNEC.

ELNEC: End-of-Life Nursing Education Consortium Master Reference List
--

Administration on Aging. (2006). *Older population by age: 1900 to 2050*. Retrieved June 30, 2008 from http://www.aoa.gov./prof/statistics/online_stat_data/popage2050.xls

Alvarez, O., Kalinski, C., Nusbaum, J., Hernandez, L., Pappous, E., Kyriannis, C., et al. (2007). Incorporating wound healing strategies to improve palliation (symptom management) in patients with chronic wounds. *Journal of Palliative Medicine*, 10(5), 1161-89.

American Academy of Pain Medicine (AAPM). (2001). *The use of opioids for the treatment of chronic pain* (Joint consensus statement from the American Academy of Pain Medicine, American Pain Society & American Society of Addiction Medicine). Retrieved August 29, 2008 from: <http://www.ampainsoc.org/advocacy/opioids.htm>

American Association of Colleges of Nurses. (1997). *A peaceful death* [Report from the Robert Wood Johnson End-of-Life Care Roundtable]. Washington, DC: Author.

American Geriatrics Society (AGS) Panel on Persistent Pain in Older Persons. (2002). The management of persistent pain in older persons. *Journal of the American Geriatrics Society*, 50(6 Suppl.), S205-224.

American Nurses Association (ANA). (2001). *Code of ethics for nurses with interpretive statements*. Washington DC: Author.

American Nurses Association (ANA). (1994). *Position statements: Assisted suicide and euthanasia*. Washington, DC: Author. Retrieved September 2, 2008 from <http://www.needlestick.org/readroom/position/ethics/eteuth.htm> and <http://www.needlestick.org/readroom/position/ethics/etsuic.htm>

American Nurses Association (ANA). (2003). *Position statement: Pain management and control of distressing symptoms in dying patients*. Washington, DC: Author. Retrieved August 29, 2008 from <http://www.needlestick.org/readroom/position/ethics/etpain.htm>

American Pain Society (APS). (2003). *Principles of analgesic use in the treatment of acute pain and cancer pain* (5th ed.). Glenview, IL: Author.

American Psychiatric Association. (1994). *Diagnostic and statistical manual of mental disorders* (4th ed.). Washington, DC: American Psychiatric Association..

Anderson, P. & Dean, G. (2006). Fatigue. In B.R. Ferrell, & N. Coyle (Eds.), *Textbook of palliative nursing* (2nd ed., pp. 155-168). New York, NY: Oxford University Press.

- Anderson, R.N. (2005). Deaths: Leading causes for 2002. *National Vital Statistics Report* 53(17). Hyattsville, MD: Center for Disease Control and Prevention. Retrieved Septmeber 2, 2008 from http://www.cdc.gov/nchs/data/dvs/nvsr53_17tableE2002.pdf
- Andrews, M., & Boyle, J. (Eds.) (2003). *Transcultural concepts of nursing care* (4th ed.). Philadelphia, PA: Lippincott Williams & Wilkins.
- Angus, D.C., Barnato, A.E., Linde-Zwirble, W.T., Weissfeld, L.A., Watson, R.S., Rickert, T., & Rubenfeld, G.D. Robert Wood Johnson Foundation ICU End-of-Life Peer Group (2004). Use of intensive care at the end of life in the United States: An epidemiologic study. *Critical Care Medicine*, 32(3), 638-643.
- Annas, G.J. (1990). Nancy Cruzan and the right to die. *New England Journal of Medicine*, 323(10), 670-673.
- Aulisio, M.P., Chaitin, E., & Arnold, R.M. (2004). Ethics and palliative care consultation in the intensive care unit. *Critical Care Clinics*, 20(3), 505-523.
- Back, T., Arnold, B., & Quill, T. (2003). Hope for the best, prepare for the worst. *Annals of Internal Medicine*, 138(5), 439-443.
- Baile, W.F., Buckman, R., Lenzi, R., Glober, G., Beale, E.A., & Kudelka, A.P. (2000). SPIKES- A six-step protocol for delivering bad news: Application to the patient with cancer. *Oncologist*, 5(4), 302-311.
- Baldwin, D.M. (2003). Disparities in health and health care: Focusing efforts to eliminate unequal burdens. *Online Journal of Issues in Nursing*, 8(1), 2. Retrieved Septmeber 2, 2008 from <http://www.doaj.org/doaj?func=abstract&id=116805&openurl=1>
- Benedetti, C., Brock, C., Cleeland, C., Coyle, N., Dube, J.E., Ferrell, B.R., et al. (2000). NCCN practice guidelines for cancer pain. *Oncology (Huntington)*, 14(11A), 135-150.
- Benner, P. (2001). Death as a human passage: Compassionate care for persons dying in critical care units. *American Journal of Critical Care*, 10(5), 355-359.
- Benson, A.B. 3rd, Ajani, J. A., Catalano, R. B., Engelking, C., Kornblau, S.M., Martenson, J.A., Jr., et al. (2004) Recommended guidelines for the treatment of cancer treatment-induced diarrhea. *Journal of Clinical Oncology*, 22(14), 2918-2926.
- Berenson, S. (2006). Complementary and alternative therapies in palliative care. In B.R. Ferrell, & N. Coyle (Eds.), *Textbook of palliative nursing* (2nd ed., pp. 491-509.). New York, NY: Oxford University Press.
- Berenson, S.C. (2007). Management of cancer pain with complementary therapies. *ONCOLOGY Nurse Edition*, 21(4), 10-22.

- Berger, A., Portenoy, R.K., & Weissman, D.E. (2002). *Principles and practice of palliative care supportive oncology* (2nd ed.). New York, NY: Lippincott, Williams and Wilkin.
- Berger, A., Shuster, J.L., & VonRoenn, J.H. (2007). *Principles and practice of palliative care and supportive oncology* (3rd ed.). Philadelphia, PA: Lippincott, Williams and Wilkins.
- Berry, P., & Griffie, J. (2006). Planning for the actual death. In B.R. Ferrell, & N. Coyle (Eds.), *Textbook of palliative nursing* (2nd ed., pp. 561-577). New York, NY: Oxford University Press.
- Billhult, A., & Dahlberg, K. (2001). A meaningful relief from suffering. *Cancer Nursing*, 24(3), 180-184.
- Bistran, B. (1999). Clinical trials for the treatment of secondary wasting and cachexia. *Journal of Nutrition*, 129(1S Suppl), 290 S-294 S.
- Blair, S.L., Chu, D.Z.J., & Schwarz, R.E. (2001). Outcomes of palliative operations for malignant bowel obstruction in patients with peritoneal carcinomatosis from nongynecological cancer. *Annals of Surgical Oncology*, 8(8), 632-637.
- Blevins, D., & Papadatou, D. (2006). The effects of culture on end of life situations. In J.L. Werth, Jr., & D. Blevins (Eds). *Psychosocial issues near the end of life: A resource for professional care providers*, 27-55, xix 258. Washington DC: American Psychological Association.
- Boni-Saenz, A.A., Dranove, D., Emanuel, L.L., & LoSasso, A.T. (2005). The price of palliative Care: Toward a complete accounting of costs and benefits. *Clinics of Geriatric Medicine*, 21(1), 147-163.
- Boreale, K., & Richardson, B. (2006). Communication. In J. Panke & P. Coyne (Eds), *Conversations in palliative care* (2nd edition). Pp.23-32, Chapter 3. Pittsburgh, PA: Hospice and Palliative Nurses Association.
- Borneman, T., & Brown-Saltzman, K. (2006). Meaning in illness. In B. R. Ferrell, & N. Coyle (Eds.), *Textbook of palliative nursing* (2nd ed., pp. 605-615). New York, NY: Oxford University Press.
- Boudreaux, E.D., Francis, J.L., & Loyacano, T. (2002). Family presence during invasive procedures and resuscitation in the emergency department: A critical review and suggestions for future research. *Annals of Emergency Medicine*, 40(2), 193-205.
- Brattberg, G., Parker, M.G., & Thorslund, M. (1997). A longitudinal study of pain reported from middle age to old age. *Clinical Journal of Pain*, 13(2), 144-149.

- Brender, E., Burke, A., & Glass, R.M. (2005) Journal of the American Medical Association (JAMA) patient page. Palliative sedation. [Patient Education Handout]. *Journal of the American Medical Association*, 29(14), 1850.
- Brown-Saltzman, K. (2006). Transforming the grief process. In R. Carroll-Johnson, L. Gorman, N. J. Bush (Eds). *Psychosocial nursing care: Along the cancer continuum* (2nd edition). Pittsburgh, PA: Oncology Nursing Press, Inc.
- Bruera, E., Palmer, J.L., Bosnjak, S., Rico, M.A., Moyano, J., Sweeney, C., et al. (2004). Methadone versus morphine as a first-line strong opioid for cancer pain: A randomized, double-blind study. *Journal of Clinical Oncology*, 22(1), 185-192.
- Bruera, E., & Sweeney, C. (2002). Methadone use in cancer patients with pain: A review. *Journal of Palliative Medicine*, 5(1), 127-138.
- Buckman, R. (2001). Communication skills in palliative care. *Neurologic Clinics*, 19(4), 989-1004.
- Buckman, R. (2005). Breaking bad news: The S-P-I-K-E-S strategy. *Community Oncology*, 2(2), 138-142.
- Burgess, K., & Whitelaw, W. (1988). Effects of nasal cold receptors on patterns of breathing. *Journal of Applied Physiology*, 64(1), 371-376.
- Byock, I. (1997). *Dying well: The prospects for growth at the end-of-life*. New York, NY: Riverhead Books.
- Campbell, M.L. & Zalenski, R. (2006). In B.R. Ferrell, & N. Coyle (Eds.), *Textbook of palliative nursing* (2nd ed., pp. 861-867). New York, NY: Oxford University Press.
- Campinha-Bacote, J. (2003). *The process of cultural competence in the delivery healthcare services: A culturally competent model of care* (4th ed). Cincinnati, OH: Transcultural C.A.R.E. Associates.
- Casarett, D.J., & Quill, T.E. (2007). "I'm not ready for hospice": Strategies for timely and effective hospice discussions. *Annals of Internal Medicine*, 146(6), 443-449.
- Center to Advance Palliative Care (CAPC). (2008). *New analysis shows hospitals continue to implement palliative care programs at rapid pace*. Retrieved August 28, 2008 from <http://www.capc.org/news-and-events/releases/news-release-4-14-08/view?searchterm=New%20analysis%20shows%20hospitals%20continue%20to%20implement%20palliative%20care%20programs%20at%20rapid>
- Center for Practical Bioethics. (2001) Advance care planning – Part I: Approaches for patients from marginalized groups. *State Initiatives in End-of-Life Care*, 12(Nov.), 1-8.

- Chan, E.K., O'Neill, I., McKenzie, M., Love, A., & Kissane, D.W. (2004). What works for therapists conducting family meetings: Treatment integrity in family-focused grief therapy during palliative care and bereavement. *Journal of Pain & Symptom Management*, 27(6), 502-512.
- Chentsova-Dutton, Y., Shuster, S., Hutchin, S., Strause, L., Burns, K., Dunn, L., et al. (2002). Depression and grief reactions in hospice caregivers: From pre-death to 1 year afterwards. *Journal of Affective Disorders*, 69(1-3), 53-60.
- Chevlan, E.M. (2007). Palliative chemotherapy. In A.M. Berger, J.L. Shuster, & J.H. Von Roen [Eds], *Principles and practices of supportive oncology*, 3rd edition, pp.549-560, Philadelphia, PA: Lippincott, Williams & Wilkins.
- Chochinov, H.M. (2002). Dignity-conserving care: A new model for palliative care. *Journal of the American Medical Association*, 287(17), 2253-2260.
- Cleary, J. (2004). Academy musings. *Journal of Palliative Medicine*, 7(4), 508-509.
- Clemens, E. & Klaschik, E. (2007). Symptomatic therapy of dyspnea with strong opioids and its effect on ventilation in palliative care patients. *Journal of Pain and Symptom Management*, 33(4), 473-481.
- Cohen, M. Z., & Palos, G. (2001). Culturally competent care. *Seminars in Oncology Nursing*, 17(3), 153-158.
- Colby, W. (2003). *Long goodbye: The deaths of Nancy Cruzan*. Carlsbad, CA: Hay House, Inc.
- Community-State Partnerships to Improve End-of-Life Care (2002). Advance care planning, Part II - Guardianship: A neglected piece of the surrogate decision-making picture. *State Initiatives in End of Life Care*, 13(March), 1-8. Kansas City, MO: Center for Practical Bioethics.
- Cook, D., Rocker, G., Marshall, J., Sjokvist, P., Dodek, P., Griffith, L., et al. (2003). Level of care study investigators and the Canadian Critical Care Trials Group. Withdrawal of mechanical ventilation in anticipation of death in the intensive care unit. *New England Journal of Medicine*, 349(12), 1123-1132.
- Corless, I.B. (2006). Bereavement. In B.R. Ferrell, & N. Coyle (Eds.), *Textbook of palliative nursing care* (2nd ed., pp. 531-544). New York, NY: Oxford University Press.
- Cotter, V.T., & Stumpf, N.E. (Eds.). (2001). *Advanced practice nursing with older adults: Clinical guidelines*. New York, NY: McGraw-Hill.
- Couzin, J. (2004). Drug safety. Withdrawal of Vioxx casts a shadow over COX-2 inhibitors. *Science*, 306(5695), 384-385.

- Coyle, N. (2006). Introduction to palliative nursing care. In B. R. Ferrell, & N. Coyle (Eds.), *Textbook of palliative nursing* (2nd ed., pp. 5-11). New York, NY: Oxford University Press.
- Coyle, N., Adelhardt, J., Foley, K., & Portenoy, R. (1990). Character of terminal illness in the advanced cancer patient: Pain and other symptoms during the last four weeks of life. *Journal of Pain and Symptom Management*, 5(2), 83-93.
- Coyne, P. (2007). A bridge to where? *Journal of Hospice and Palliative Nursing*, 9(5), 231-232.
- Coyne, P. (1999). *What nurses wish they were taught in their nursing education related to the care of dying or terminally ill patient/family unit*. Presented at the 18th Annual Scientific Meeting of the American Pain Society, Ft. Lauderdale, FL.
- Coyne, P.J. (2003). The use of nebulized fentanyl for the management of dyspnea. *Clinical Journal of Oncology Nursing*, 7(3), 334-335.
- Coyne, P.J., & Drew, J. (2002). Palliative care. In B. St. Marie (Ed.), *Core curriculum for pain management nursing* (pp. 439-455). Philadelphia: W. B. Saunders Co.
- Coyne, P.J., Hansen, L.A. & Watson, A.C. (2003). Compounded drugs: Are customized prescription drugs a salvation, a snake oil, or both? *American Journal of Nursing*, 103(5); 78-85.
- Coyne, P.J., Lyne, M.E., & Watson, A. C. (2002). Symptom management in people with AIDS. *American Journal of Nursing*, 102(9), 48-56.
- Coyne, P.J., Viswanathan, R., & Smith, T. (2002). Nebulized fentanyl citrate improves patient's perception of breathing, respiratory rate, and oxygen saturation in dyspnea. *Journal of Pain & Symptom Management*, 23(2), 157-160.
- Crawley, L.M. (2005). Racial, cultural, and ethic factors influencing end- of- life care. *Journal of Palliative Medicine*, 8 (Suppl 1), S58-S69.
- Curtis, J.R., Patrick, D.L., Shannon, S.E., Treece, P.D., Engelberg, R.A. & Rubenfeld, G.D. (2001). The family conference as a focus to improve communication about end-of-life care in the intensive care unit: Opportunities for improvement. *Critical Care Medicine*, 29(2Suppl), N26-33.
- Dahlin, C. (2006). It takes my breath away: End-stage COPD. Part 2: Pharmacologic and nonpharmacologic management of dyspnea and other symptoms. *Home Healthcare Nurse*, 24(4), 218-224.
- Dahlin, C.M. (2001). Supporting alternative families. *Clinical Journal of Oncology Nursing*, 5(4), 177-178.

- Dahlin, C.M., & Giansiracusa, D.F. (2006). Communication in palliative care. In B.R. Ferrell & N. Coyle (Eds.), *Textbook of palliative nursing* (2nd ed., pp. 67-93). New York, NY: Oxford University Press.
- D'Avanzo, C.E., & Geissler, E.M. (2003). *Pocket guide to cultural assessment* (3rd ed.). St. Louis, MO: Mosby-Yearbook, Inc.
- Davidhizar, R., & Giger, J.N. (2002). "Culture matters for the patient in pain." *Journal of Practicing Nursing*, 52(2), 18-20.
- Davidhizar, R., & Giger, J.N. (2004). A review of the literature on care of clients in pain who are culturally diverse. *International Nursing Review*, 51(1), 47-55.
- Davies, B. (2006). Supporting families in palliative care. In B.R. Ferrell, & N. Coyle (Eds.), *Textbook of palliative nursing* (2nd ed., pp. 545-558). New York, NY: Oxford University Press.
- Davies, B., & Jin, J. (2006). Grief and bereavement in pediatric palliative care. In B. R. Ferrell, & N. Coyle (Eds.), *Textbook of palliative nursing* (2nd ed., pp. 975-989). New York, NY: Oxford University Press.
- Davis, G.C., Hiemenz, M.L., & White, T.L. (2002). Barriers to managing chronic pain of older adults with arthritis. *Journal of Nursing Scholarship*, 34(1), 121-126.
- Degenholtz, H.B., Arnold, R.A., Meisel, A., & Lave, J.R. (2002). Persistence of racial disparities in advance care plan documents among nursing home residents. *Journal of the American Geriatric Society*, 50(2), 378-381.
- deGraeff, A. & Dean, M. (2007). Palliative sedation therapy in the last weeks of life: A literature review and recommendations for standards. *Journal of Palliative Medicine*, 10(1), 67-85.
- DeLeo, D., & Spathonis, K. (2003). Suicide and euthanasia in late life. *Aging-Clinical & Experimental Research*, 15(2), 99-110.
- Derby, S. & O'Mahony, S. (2006). Elderly patients. In B. R. Ferrell, & N. Coyle (Eds.), *Textbook of palliative nursing* (2nd ed., pp. 635-659). New York, NY: Oxford University Press.
- Doka, K.J. (2006). Grief, the constant companion of illness. *Anesthesiology Clinics*, 24(1), 205-212.
- Doyle, C., Crump, M., Pintilie, M., & Oza, A.M. (2001). Does palliative chemotherapy palliate? Evaluation of expectations, outcomes, and costs in women receiving chemotherapy for advanced ovarian cancer. *Journal of Clinical Oncology*, 19(5), 1266-1274.

- Dubler, N., & Liebman, C. (2004). *Bioethics mediation*. New York, NY: United Hospital Fund.
- Dudgeon, D. (2006). Dyspnea, death rattle, and cough. In B.R. Ferrell, & N. Coyle (Eds.), *Textbook of palliative nursing* (2nd ed., pp. 249-264). New York, NY: Oxford University Press.
- Duhamel, F., & Dupuis, F. (2003). Families in palliative care: Exploring family and healthcare professionals' beliefs. *International Journal of Palliative Nursing*, 9(3), 113-119.
- Dunn, G.P., Milch, R. A., Mosenthal, A.C., Lee, K.F., Easson, A.M., & Huffman, J L. (2002). Palliative care by the surgeon: How to do it. *Journal of the American College of Surgeons*, 194(4), 509-537.
- Earthman, C.P., Reid, P.M., Harper, I.T., Ravussin, E., & Howell, W.H. (2002). Body cell mass repletion and improved quality of life in HIV-infected individuals receiving oxandrolone. *Journal of Parenteral & Enteral Nutrition*, 26(6), 357-356.
- Egan, K.A., & Labyak, M.J. (2006). Hospice palliative care: A model for quality end-of-life care. In B. R. Ferrell, & N. Coyle (Eds.), *Textbook of palliative nursing* (2nd ed., pp. 13-46). New York, NY: Oxford University Press.
- Emanuel, L.L., von Gunten, C.F., & Ferris, F.D. (Eds.). (1999). *The EPEC curriculum: Education for physicians on end-of-life care*. The EPEC Project. Retrieved on September 2, 2008 from: <http://www.epeconline.net/EPEC/Webpages/ph.cfm>
- Emmott, H., Potter, R., & Flanigan, R. (2001). Cultural diversity, case study: What Amy doesn't know—respect for cultural diversity or bad ethics? *Bioethics Forum* 17(1), 53-54.
- Ernst, E. (2004). Manual therapies for pain control: Chiropractic and massage. *Clinical Journal of Pain*, 20(1), 8-12.
- Ersek, M. (2003). Artificial nutrition and hydration. *Journal of Hospice and Palliative Nursing*, 5(4), 221-230.
- Ersek, M. (1992). Examining the process and dilemmas of reality negotiation. *Image: Journal of Nursing Scholarship*, 24(1), 19-25.
- Ersek, M. (2006). The meaning of hope in the dying. In B.R. Ferrell, & N. Coyle (Eds.), *Textbook of palliative nursing* (2nd ed., pp. 513-530). New York, NY: Oxford University Press.
- Estfan, B., & LeGrand, S. (2004). Management of cough in advanced cancer. *The Journal of Supportive Oncology*, 2(6), 523-27.

- Faas, A.I. (2004). A personal reflection: The intimacy of dying an act of presence. *Dimensions in Critical Care Nursing*, 23(4), 176-178.
- Faber-Langendoen, K., & Lancken, P.N. (2000). Dying patients in the intensive care unit: Forgoing treatment, maintaining care. *Annals of Internal Medicine*, 133(11), 886-893.
- Fadiman, A. (1997). *The spirit catches you and you fall down*. New York, NY: The Noonday Press.
- Fainsinger, R.L., & Periera, J. (2004). Clinical assessment and decision-making in cachexia and anorexia. In D. Doyle, G.W.C. Hanks, N. Cherney, & K. Calman. *Oxford textbook of palliative medicine* (3rd ed., pp. 533-560). Oxford, UK: Oxford University Press.
- Ferrell, B. (2006). Understanding the moral distress of nurses witnessing medically futile care. *Oncology Nursing Forum*, (33)5, 922-930.
- Ferrell, B., Grant, M., Padilla, G., Vemuri, S., & Rhiner, M. (1991). The experience of pain and perceptions of quality of life: Validations of a conceptual model. *The Hospice Journal*, 7(3), 9-24.
- Ferrell, B., Levy, M., & Paice, J. (2008). Managing pain in the palliative care setting. *Clinical Journal of Oncology Nursing*, 12(4), 575-581.
- Ferrell, B.R., & Coyle, N. (2008). *The nature of suffering and the goals of nursing*. New York, NY: Oxford University Press.
- Ferrell, B.R., Grant, M., Dean, G. E., Funk, B., & Ly, J. (1996). Bone tired: The experience of fatigue and impact on quality of life. *Oncology Nursing Forum*, 23(10), 1539-1547.
- Ferrell, B.R., Virani, R., & Grant, M. (1999). Analysis of end-of-life content in nursing textbooks. *Oncology Nursing Forum*, 26(5), 869-876.
- Ferrini, R., & Paice, J. A. (2004). Infusional lidocaine for severe and/or neuropathic pain. *Journal of Clinical Oncology*, 2(1), 90-94.
- Ferris, F.D. (2007). Management of pressure ulcers and fungating wounds. In A.M. Berger, J.L. Shuster, & J.H. von Roenn (Eds.), *Principles and practice of palliative care and supportive oncology*, 3rd edition, (pp. 239-252). Philadelphia, PA: Lippincott Williams & Wilkins.
- Field, M.J., & Behrman, R.E. (Eds). (2003). *When children die: Improving palliative and end-of-life care for children and their families*. Washington, D.C.: National Academy Press.
- Field, M.J., & Cassel, C.K. (1997). *Approaching death: Improving care at the end of life*. [Report of the Institute of Medicine Task Force]. Washington, D.C.: National Academy Press.

- Fine, P. (2001). Total sedation in end-of-life care: Clinical considerations. *Journal of Hospice and Palliative Nursing*, 3(3), 81-87.
- Fink, R. & Gates, R. (2006). Pain assessment. In B.R. Ferrell, & N. Coyle (Eds.), *Textbook of palliative nursing* (2nd ed., pp. 97-125). New York, NY: Oxford University Press.
- Fitch, M.I., & Maxwell, C. (2008). Bisphosphonate therapy for metastatic bone disease: The pivotal role of nurses in patient education. *Oncology Nursing Forum*, 35(4), 709-713.
- Fisch, M.J. (2003). Palliative systemic anti-neoplastic therapy. In E.D. Bruera and R.K. Portenoy (Eds.), *Cancer pain: Assessment and management* (pp. 311-327). Cambridge, UK: Cambridge University Press.
- Frager, G. (1996). Pediatric palliative care: Building the model, bridging the gaps. *Journal of Palliative Care*, 12(3), 9-12.
- Frankl, V.E. (1984). *Man's search for meaning*. New York, NY: Washington Square Press.
- Freud, S. (1917). Mourning and melancholia. *Sigmund Freud: Collected papers* (Vol. 4). New York, NY: Basic Books.
- Friedrichsen, M.J., Strang, P.M., & Carlsson, M.E. (2001). Receiving bad news: Experiences of family members, *Journal of Palliative Care*, 17(4), 241-247.
- Furlan, A.D., Lui, P., & Mailis, A. (2001). Chemical sympathectomy for neuropathic pain: Does it work? [Case report & Literature review]. *Clinical Journal of Pain*, 17(4), 327-336.
- Fürst, C.J. & Doyle, D (2004). The terminal phase. In D. Doyle, G. Hanks, N.I. Cherny & K. Calman (Eds.), *Oxford textbook of palliative medicine* (3rd ed., pp. 1117-1133). New York, NY: Oxford University Press.
- Gabriel, M. (2008). Providing palliative care for the newly diagnosed cancer patient: Concept and resources. *Oncology Nurse Edition*, 22(4), 29-34.
- Gallagher, R. & Roberts, D. (2004). Asystemic review of oxygen and airflow effect on relief of dyspnea at rest in patient with advanced disease of any cause. *Journal of Pain & Palliative Care Pharmacotherapy*, 18(4), 3-15.
- Ganzini, L., Goy, E.R., Miller, L.L., Harvath, T.A., Jackson, A., & Delorit, M.A. (2003). Nurses' experiences with hospice patients who refuse food and fluids to hasten death. *New England Journal of Medicine*, 349(4), 359-365.
- Giger, J.N., Davidhizar, R.E., & Fordham, P. (2006). Multi-cultural and multi-ethnic considerations and advanced directives: Developing cultural competency. *Journal of Cultural Diversity*, 13(1), 3-9.

- Gillis, T.A. (2003). Rehabilitation medicine interventions. In E.D. Bruera and R.K. Portenoy (Eds.), *Cancer pain: Assessment and management* (pp. 238-326). Cambridge, UK: Cambridge University Press.
- Glare, P., Virik, K., Jones, M., Hudson, M., Eychmuller, S., Simes, J., & Christakis, N. (2003). A systematic review of physicians' survival predictions in terminally ill cancer patients. *British Medical Journal*, 327(7408), 195.
- Glass, E., Cluxton, D., & Rancour, P. (2006). Principles of patient and family assessment. In B. R. Ferrell, & N. Coyle (Eds.), *Textbook of palliative nursing* (2nd ed., pp. 47-66). New York, NY: Oxford University Press.
- Goetz, M.P., Callstrom, M.R., Charboneau, J.W., Farrell, M.A., Maus, T.P., Welch, T.J., et al. (2004). Percutaneous image-guided radiofrequency ablation of painful metastases involving bone: A multi-center study. *Journal of Clinical Oncology*, 22(2), 300-306.
- Goldstein, D.J., Lu, Y., Detke, M., Hudson, J., Iyengar, S., & Demitrack, M.A. (2004). Effects of duloxetine on painful physical symptoms associated with depression. *Psychosomatics*, 45(1), 17-28.
- Golf, M., Paice, J.A., Feulner, E., O'Leary, C., Marcotte, S., & Mulcahy, M. (2004). Refractory status epilepticus. *Journal of Palliative Medicine*, 7(1), 85-88. Gibson, S.J., & Weiner, D.K. (Eds). (2005). *Pain in older persons*. Seattle, WA: IASP Press.
- Gordon, D.B., Dahl, J.L., Miaskowki, C., McCarberg, B., Todd, K.B., Paice, J.A., et al. (2005). American Pain Society recommendations for improving the quality of acute and cancer pain management. American Pain Society Quality of Care Task Force. *Archives of Internal Medicine*, 165(14); 1574-1580.
- Gordon, D.B., Pellino, T.A., Miaskowski, C., McNeill, J.A., Paice, J.A., Laferriere, D. et al. (2002). A 10 year review of quality improvement in pain management: Recommendations for standardized outcome measures. *Pain Management Nursing*, 3(4), 116-130.
- Gordon, D.B., & Weissman, D.E. (2005). Sublingual morphine #53. *Journal of Palliative Medicine*, 8(4), 868-869.
- Goulette, C. (2007). Doctors and nurses: Professional relationships make for better patient care. *Advance for Nurses*, July 9, 2007, 21, 22, 36.
- Granda-Cameron, C., Viola, S.R., Lynch, P., & Polomano, R.C. (2008). Measuring patient-oriented outcomes in palliative care: Functionality and quality of life. *Clinical Journal of Oncology Nursing*, 12(1), 65-77.
- Grealish, L., Lomasney, A., & Whiteman, B. (2000). Foot massage. A nursing intervention to modify the distressing symptoms of pain and nausea in patients hospitalized with cancer. *Cancer Nursing*, 23(3), 237-243.

- Griffie, J., Nelson-Marten, P., & Muchka, S. (2004). Acknowledging the 'elephant': Communication in palliative care. *American Journal of Nursing*, 104(1); 48-57.
- Griffen, J. (Ed). (2007). *Organ donation: New strategies for finding organs* [Hastings Center primer]. Garrison, NY: The Hastings Center.
- Grocott, P., & Dealey, C. (2004). Symptom management: Nursing aspects. In D. Doyle, G. Hanks, N. Cherney, & K. Calman (Eds.) *Oxford textbook of palliative medicine* (3rd ed., pp. 628-640). Oxford, UK: Oxford University Press.
- Gunnarsdottir, S., Donovan, H.S., Serlin, R.C., Voge, C., & Ward, S. (2002). Patient-related barriers to pain management: The Barriers Questionnaire II (BQ-II). *Pain*, 99(3), 385-396.
- Hallberg, I.R. (2004). Death and dying from old people's point of view. A literature review. *Aging-Clinical & Experimental Research*. 16(2), 87-103.
- Hallenbeck, J.L. (2002). Cross-cultural issues. In A.M. Berger, R.K. Portenoy, & D.E. Weissman (Eds.), *Principles & practice of palliative care & supportive oncology* (2nd ed., p. 661-672). New York: Lippincott Williams & Wilkins.
- Hallenbeck, J. (2005). Palliative care in the final days of life: They were expecting it at anytime. *Journal of the American Medical Association*, 293(18), 2265-2271.
- Hanks-Bell, M., Paice, J., & Krammer, L. (2002). The use of midazolam hydrochloride continuous infusions in palliative care. *Clinical Journal of Oncology Nursing*, 6(6), 367-369.
- Harper, B. (1994). *Death: The coping mechanism of the health professional*. Greenville, SC: Southeastern University Press.
- Hartley, D. (2001). A piece of my mind: From the foot of the gurney. *Journal of the American Medical Association*, 285(4), 380.
- Herr, K., Coyne, P.J., Key, T., Manworren, R., McCaffery, M., Merkel, S., Peosi-Kelly, J., & Wild, L. (2006). Pain assessment in the nonverbal patient: Position statement with clinical practice recommendations. *Pain Management Nursing*, 7(2), 44-52.
- Heyland, D.K., Frank, C., Groll, D., Pichora, D., Dodek, P., Rocker, G., & Gafni, A. (2006). Understanding cardiopulmonary resuscitation decision making: Perspectives of seriously ill hospitalized patients and family members. *Chest*, 130(2), 419-428.
- Hillard, R.E. (2001). The use of music therapy in meeting the multidimensional needs of hospice patients and families. *Journal of Palliative Care*, 17(3), 161-166.

- Hogan, N.S., Greenfield, D.B., Schmidt, L.A. (2001). Development and validation of the grief reaction checklist. *Death Studies*, 25(1), 1-32.
- Hospice and Palliative Nurses Association (HPNA). (2001). *Professional competencies for generalist hospice and palliative nurses*. Dubuque, IA: Kendall/Hunt Publishing Company.
- Hospice and Palliative Nurses Association (HPNA) & American Nurses Association (ANA). (2002). *Scope and standards of hospice and palliative nursing practice*. Washington, DC: American Nurses Publishing.
- Hospice and Palliative Nurses Association (HPNA) Position Paper (2003). Artificial nutrition and hydration in end-of-life care. *Journal of Hospice and Palliative Nursing*, 5(4), 235-237.
- Hospice and Palliative Nursing Association (HPNA) Position Paper. (2004). Pain. *Journal of Hospice and Palliative Nursing*, 6(1), 62-64.
- Hospice and Palliative Nurses Association (HPNA) Position Paper (2003). Palliative sedation at the end of life. *Journal of Hospice and Palliative Nursing*, 5(4). 235-237.
- Hospice and Palliative Nurses Association (HPNA) Position Paper (2004). Providing opioids at the end of life. *Journal of Hospice and Palliative Nursing*, 6(4), 244-246.
- Hoyert, D.L., Kung, H.C., & Smith, B.L. (2005). Preliminary data for 2003. *National Vital Reports*, 53(15). Hyattsville, MD: National Center for Health Statistics.
- Huang, Z.B., & Ahronheim, J.C. (2000). Nutrition and hydration in terminally ill patients: An update. *Clinics in Geriatric Medicine*, 16(2), 313-325.
- Indelicato, R.A., & Portenoy, R.K. (2003). Opioid rotation in the management of refractory cancer pain. *Journal of Clinical Oncology*, 21(9 Suppl), 87s-91s.
- Institute of Medicine (IOM). (2006). *Organ donation: Opportunities for action*. Washington DC: National Academy of Science. Retrieved September 2, 2008 from <http://www.iom.edu/Object.File/Master/34/281/Organ%20Donation%20for%20web.pdf>
- Jacobi, J., Fraser, G.L., Coursin, D.B., Riker, R.R., Fontaine, D., Wittbrodt, E.D., et al. (2002). Clinical practice guidelines for the sustained use of sedatives and analgesics in the critically ill adult. *Critical Care Medicine*, 30(1), 119-141.
- Jacobs, L.G. (2003). Managing respiratory symptoms at the end of life. *Clinics in Geriatric Medicine*, 19(1), 225-239.

- Janjan, N.A., Delclos, M., Carne, C., Ballo, M., & Cleeland, C. (2003). Palliative radiotherapy. In E.D. Bruera and R.K. Portenoy (Eds.), *Cancer pain: Assessment and management* (pp. 279-310). Cambridge, UK: Cambridge University Press.
- Jennings, B., Kaebnick, G.E., & Murray, T.H. (Eds.) (2005). *Improving end-of-life care: Why has it been so difficult?* (A Hastings Center Special Report). Garrison, NY: The Hastings Center.
- Jeremic, B. (2001). Single fraction external beam radiation therapy in the treatment of localized metastatic bone pain: A review. *Journal of Pain & Symptom Management* 22(6), 1048-1058.
- Johnston-Taylor, E. (2006). Spiritual Assessment. In B.R. Ferrell, & N. Coyle (Eds.), *Textbook of palliative nursing* (2nd ed., pp. 581-592). New York, NY: Oxford University Press.
- Jonsen, A., Siegler, M., & Winslade, W. (2002). *Clinical ethics*. New York, NY: McGraw-Hill.
- Juni, P., Rutjes, A.W., & Dieppe, P.A. (2002). Are selective COX-2 inhibitors superior to traditional nonsteroidal anti-inflammatory drugs? *British Medical Journal*, 324(7349), 1287-1288.
- Kagawa-Singer, M., & Blackhall, L.J. (2001). Negotiating cross-cultural issues at the end of life: "You got to go where he lives." *Journal of the American Medical Association*, 286(23), 2993-3001.
- Kehl, K.A. (2004). Treatment of terminal restlessness: A review of the evidence. *Journal of Pain and Palliative Care Pharmacotherapy*, 18(1); 5-30.
- Kemp, C. (2006). Anorexia and cachexia. In B. R. Ferrell, & N. Coyle (Eds.), *Textbook of palliative nursing* (2nd ed., pp. 169-176). New York, NY: Oxford University Press.
- Kemp, C. (2005). Cultural issues in palliative care. *Seminars in Oncology Nursing*, 21(1), 44-52.
- Kemp, C. (2006). Spiritual care interventions. In B. R. Ferrell, & N. Coyle (Eds.), *Textbook of palliative nursing* (2nd ed., pp. 595-604). New York, NY: Oxford University Press.

- Kiely, D.K., Volicer, L., Teno, J., Jones, R.N., Prigerson, H.G., & Mitchell, S.L. (2006). The validity and reliability of scales for the evaluation of end-of-life care in advanced dementia. *Alzheimer Disease and Associated Disorders*, 20(3), 176-181.
- Kimberlin, C., Brushwood, D., Allen, W., Radson, E., & Wilson, D. (2004). Cancer patient and caregiver experiences: Communication and pain management issues. *Journal of Pain & Symptom Management*, 28(6), 566-578.
- Kinlaw, K. (2005). Ethical issues in palliative care. *Seminars in Oncology Nursing*, 21(1), 63-68.
- Kirchhoff, K.T., Conradt, K.L., & Anumandla, P.R. (2003). ICU nurses' preparation of families for death of patients following withdrawal of ventilator support. *Applied Nursing Research*, 16(2), 85-92.
- Kissane, D.W., McKenzie, M., McKenzie, D. P., Forbes, A., O'Neill, I., & Bloch, S. (2003). Psychosocial morbidity associated with patterns of family functioning in palliative care: Baseline data from the Family Focused Grief Therapy controlled trial. *Palliative Medicine*, 17(6), 527-537.
- Krantz, M.J., Lewkowicz, L., Hays, H., Woodruffe, M.A., Robertson, A.D., & Mehler, P.S. (2002). Torsade de pointes associated with very high-dose methadone. *Annals of Internal Medicine*, 137(6), 501-504.
- Krouse, R.S., Nelson, R.A., Ferrell, B.R., Grube, B., Juarez, G., Wagman, L.D., & Chu, D.Z.J. (2001). Surgical palliation at a cancer center. *Archives of Surgery*, 136(7), 773-778.
- Kwekkeboom, K.L. (2001). Pain management strategies used by patients with breast and gynecologic cancer with postoperative pain. *Cancer Nursing*, 24(5), 378-386.
- Lamont, E.B., & Christakis, N.A. (2002). Prognostication in advanced disease. In A.M. Berger, R.K. Portenoy, & D.E. Weissman (Eds.), *Principles and practices of palliative care & supportive oncology* (2nd ed., pp. 607-614). New York, NY: Lippincott Williams & Wilkins.
- Lang, E. & Jedeikin, R. (1998). Acute respiratory depression as a complication of nebulized morphine. *Canadian Journal of Anaesthesia*, 45(1), 60-62.
- Lapine, A., Wang-Cheng, R., Goldstein, M., Nooney, A., Lamb, G., & Derse, A.R. (2001). When cultures clash: Patient, and family wishes in truth disclosure for dying patients. *Journal of Palliative Medicine*, 4(4), 475-480.
- Lasch, K.E. (2000). Culture, pain, and culturally sensitive pain care. *Pain Management Nursing*, 1(3Suppl 1), 16-22.
- Last Acts. (November 2002). *Means to a better end: A report on dying in America*. Retrieved August 28, 2008 from <http://www.rwjf.org/files/publications/other/meansbetterend.pdf>

- Lawlor, P.G., & Bruera, E.D. (2002). Delirium in patients with advanced cancer. *Hematology Oncology Clinics of North America*, 16(3), 701-714.
- Lawlor, P.G., Gagnon, B., Mancini, I.L., Pereira, J.L., Hanson, J., Suarez-Almazor, M.E., & Bruera, E.D. (2000). Occurrence, causes, and outcomes of delirium in patients with advanced cancer. *Archives of Internal Medicine*, 160(6), 786-794.
- Layman-Goldstein, M., Byrnes-Casey, M. & Collins, J.J. (2006). Pediatric pain: Knowing the child before you. In B. R. Ferrell, & N. Coyle (Eds.), *Textbook of palliative nursing* (2nd ed., pp. 991-1008). New York, NY: Oxford University Press.
- Lenkeit, R. (2006). *Introducing cultural anthropology*. Boston, MA: McGraw-Hill.
- Letizia, M., Shenk, J., & Jones, T.D. (2000). Intermittent subcutaneous injections for symptom control in hospice care: A retrospective investigation. *Hospice Journal*, 15(2), 1-11.
- Levy, M.H., & Samuel, T.A. (2005). Management of cancer pain. *Seminars in Oncology*, 32(2), 179-193.
- Lingerfelt, B.M., Swainey, C.W., Smith, T.J., & Coyne, P.J. (2007). Nebulized lidocaine for intractable cough near the end of life. *Journal of Supportive Oncology*, 5(7), 301-302.
- Lipman, A., Jackson, K., & Tyler, L. (2000). *Evidence based symptom control in palliative care*. Binghamton, NY: Pharmaceutical Products.
- Lipson, J.G., & Dibble, S.L. (2005). *Culture & clinical care*. San Francisco, CA: UCSF Nursing Press.
- Liu, L., & Gropper, M. (2003). Postoperative analgesia and sedation in the adult intensive care unit. *Drugs*, 63(8), 756-767.
- Llobera, J., Esteva, M., Rifa, J., Benito, E., Terrasa, J., Rojas, C., et al. (2000). Terminal cancer: Duration and prediction of survival time. *European Journal of Cancer*, 36(16), 2036-2043.
- Luce, J.M., & Luce, J.A. (2001). Perspectives on care at the close of life. Management of dyspnea in patients with far-advanced lung disease: "Once I lose it, it's kind of hard to catch it..." *Journal of the American Medical Association*, 285(10), 1331-1337.
- Lunney, J.R., Lynn, J., Foley, D.J., Lipson, S., & Guralnik, J.M. (2003). Patterns of functional decline at the end of life. *Journal of the American Medical Association*, 289(18), 2387-2392.
- Lussier, D., & Portenoy, R.K. (2004). Adjuvant analgesics in pain management. In D. Doyle, G.. Hanks, Cherney, N.I., & K. Calman (Eds.), *Oxford textbook of palliative care* (3rd ed., pp. 349-378). Oxford, UK: Oxford University Press.

- Lynch, M., & Dahlin, C. (2007). The national consensus project and national quality forum preferred practices in the case of the imminently dying: Implications for nursing. *Journal of Hospice and Palliative Nursing*, 9(6), 316-322.
- Lynn, J., Schuster, J.L., & Kabcenell, A. (2000). *Improving care for the end of life: A sourcebook for health care managers and clinicians*. New York, NY: Oxford University Press.
- MacDonald, N. (2003). Is there evidence for earlier intervention for cancer-associated weight loss? *Journal of Supportive Oncology*, 1(4), 279-286.
- Manima, A. (2003). Ethical issues in palliative care: Considerations. *Journal of Pain & Palliative Care Pharmacotherapy*, 17(3-4), 141-149.
- Mannix, K.A. (2004). Palliation of nausea and vomiting. In D. Doyle, G. Hanks, & N. Cherney & K. Calman. (Eds.) *Oxford Textbook of Palliative Medicine*, 3rd edition (pp. 459-468). Oxford, UK: Oxford University Press.
- Mansky, P.J., & Wallerstedt, D.B. (2006). Complementary medicine in palliative care and cancer symptom management. *Cancer Journal*, 12(5), 425-431.
- Mathis, J.M., Barr, J.D., & Belkoff, S.M. (2001). Percutaneous vertebroplasty: A developing standard of care for vertebral compression fractures. *American Journal of Neuroradiology*, 22(2), 373-381.
- Matzo, M.L. (2006). Peri-death nursing care. In Matzo, M.L. & Sherman, D.W. (Eds.), *Palliative care nursing: Quality care to the end of life* (2nd ed., pp. 443-469). New York, NY: Springer Publishing Company.
- Matzo, M.L., & Sherman, D.W. (Eds). (2006). *Palliative care nursing: Quality care to the end of life*, 2nd editioin. New York, NY: Springer Publishing Co.
- Mazanec, P., & Kitzes, J. (2003). Cultural competence in hospice and palliative care. In W.Forman, J. Kitzes, R. Anderson, & D. Sheehan (Eds.), *Concepts and practices* (pp. 177-194). Boston, MA: Jones and Bartlett.
- Mazanec, P., & Panke, J.T. (2006). Cultural considerations in palliative care. In B.R. Ferrell & N. Coyle (Eds.), *Textbook of palliative nursing* (2nd ed., pp. 623-633). New York, NY: Oxford University Press.

- Mazanec, P. & Tyler, M.K. (2003). Cultural considerations in end-of-life care. *American Journal of Nursing*, 103(3), 50-58.
- McCaffery, M., & Pasero, C. (1999). *Pain: Clinical manual* (2nd ed.). St. Louis, MO: Mosby.
- McCahill, L.E., & Ferrell, B. (2002). Palliative surgery for cancer pain. *Western Journal of Medicine*, 176(2), 107-110.
- Mezey, M., Teresi, J., Ramsey, G., Mitty, E., & Bobrowitz, T. (2000). Decision-making capacity to execute a health care proxy: Development and testing of guidelines. *Journal of the American Geriatrics Society*, 48(2), 179-187.
- Meyer, H.A., Sinnot, C., & Seed, P.T. (2003). Depressive symptoms in advanced cancer. Part 2: Depression over time; the role of the palliative care professional. *Palliative Medicine*, 17(7), 604-607.
- Miaskowski, C., Cleary, J., Burney, R., Coyne, P., Finley, R., Foster, R., et al. (2005). *American Pain Society Clinical Practice Guideline Series, No. 3: Guide for the management of cancer pain in adults and children*. Glenview, IL: American Pain Society.
- Miaskowski, C., Dodd, M.J., West, C., Paul, S.M., Tripathy, D. Koo, P., et al. (2001). Lack of adherence with the analgesic regimen: A significant barrier to effective cancer pain management. *Journal of Clinical Oncology*, 19(23), 4275-4279.
- Middlewood, S., Gardner, G., & Gardner, A. (2001). Dying in hospital: Medical failure or natural outcome? *Journal of Pain and Symptom Management*, 22(6), 1035-1041.
- Miller, C.C., Nelson, C.C., & Mezey, M. (2000). Comfort and pain relief in dementia: Awakening a new beneficence. *Journal of Gerontological Nursing*, 26(9), 32-40.
- Minino, A.M., Heron, M.P., Murphy, S.L. & Kochanek, K.D. (2007). Deaths: Final data for 2004. *National Vital Statistics Reports*, 55(19), 1-3. Retrieved August 28, 2008 from http://www.cdc.gov/nchs/data/nvsr/nvsr55/nvsr55_19.pdf
- Mitty, E.L. (2001). Ethnicity and end of life decision-making. *Reflections on Nursing Leadership*, 27(1), 28-31, 46.
- Miyoshi, H.R. (2001). Systemic nonopioid analgesics. In D. Loeser, S.H. Butler, R. Chapman, & D.C. Turk (Eds.). *Bonica's management of pain* (3rd ed.). Philadelphia, PA: Lippincott Williams & Wilkins.
- Morrison, R.S., Wallenstein, S., Natale, D.K., Senzel, R.S., & Huang, L.L. (2000). "We don't carry that" - Failure of pharmacies in predominantly nonwhite neighborhoods to stock opioid analgesics. *New England Journal of Medicine*, 342(14), 1023-1026.

- Mukherjee, D., Nissen S.E., & Topol, E.J. (2001). Risk of cardiovascular events associated with selective COX-3 inhibitors. *Journal of the American Medical Association*, 286(8), 954-959.
- Mystakidou, K., Katsouda, E., Parpa, E., Vlahos, L., & Tsiatas, M.L. (2006). Oral transmucosal fentanyl citrate: Overview of pharmacological and clinical characteristics. *Drug Delivery*, 13(4), 269-276.
- National Cancer Institute (NCI). (2004). *Anxiety disorder*. Retrieved on September 2, 2008 from <http://www.nci.nih.gov/cancertopics/pdq/supportivecare/anxiety/healthprofessional>
- National Cancer Institute (NCI). (2004). *Delirium*. Retrieved September 2, 2008 from: <http://www.nci.nih.gov/cancertopics/pdq/supportivecare/delirium/healthprofessional>
- National Cancer Institute (NCI). (2005). *Depression*. Retrieved September 2, 2008 from: <http://www.nci.nih.gov/cancertopics/pdq/supportivecare/depression/healthprofessional>
- National Cancer Institute (NCI). (2004). *Fatigue*. Retrieved September 2, 2008 from: <http://www.nci.nih.gov/cancertopics/pdq/supportivecare/fatigue/healthprofessional>
- National Cancer Institute (NCI). (2005). *Gastrointestinal complications*. Retrieved on September 2, 2008 from <http://www.nci.nih.gov/cancertopics/pdq/supportivecare/gastrointestinalcomplications/healthprofessional>
- National Comprehensive Cancer Network (NCCN) Practice Guidelines. (2007). *Oncology – Adult Cancer pain: Version 1. 2007*. Retrieved September 2, 2008 from: http://www.nccn.org/professionals/physician_gls/PDF/pain.pdf.
- National Consensus Project (NCP) for Quality Palliative Care (2004). National consensus project for quality palliative care: Clinical practice guidelines for quality palliative care, executive summary (Policy Document). *Journal of Palliative Medicine*, 7(5), 611-627.
- National Council of State Boards of Nursing (NCSBN). (1993). *Position paper on the regulation of advanced nursing practice*. Chicago, IL: Author.
- National Hospice and Palliative Care Organization (NHPCO). (2005). *NHPCO facts and figures sheet*. Alexandria, VA: Author. Retrieved August 28, 2008 from: <http://www.nhpc.org/i4a/pages/index.cfm?pageid=3367>
- National Institutes of Health. (2004). *National Institutes of Health State-of-the-Science Conference Statement on Improving End-of-Life Care*. Retrieved August 28, 2008 from <http://consensus.nih.gov/2004/2004EndofLifeCareSOS024html.htm>
- National Quality Forum. (2006). *A national framework and preferred practices for palliative and hospice care: A consensus report*. Washington DC: Author. Retrieved August 28, 2008 from: <http://www.qualityforum.org/publications/reports/palliative.asp>

- Neely, K.J., & Roxe, D.M. (2000). Palliative care/hospice and the withdrawal of dialysis. *Journal of Palliative Medicine*, 3(1), 57-67.
- Nelson, J.E. Meier, D.E., Oei, E.J., Nierman, D.M., Senzel, R.S., Manfredi, P.L., et al. (2001). Self-reported symptom experience of critically ill cancer patients receiving intensive care. *Critical Care Medicine*, 29(2), 277-282.
- Neudert, C., Oliver, D., Wasner, M., & Borasio, G.D. (2001). The course of the terminal phase in patients with amyotrophic lateral sclerosis. *Journal of Neurology*, 248(7), 612-616.
- O’Gorman, M.L. (2002). Spiritual care at the end of life. *Critical Care Nursing Clinics of North America*, 14(2), 171-176.
- O’Keefe, M.E., & Crawford, K. (2002). End-of-life care: Legal and ethical considerations. [Review]. *Seminars in Oncology Nursing*, 18(2), 143-148.
- O’Mahony, S., McHugh, M., Zallman, L., & Selwyn, P. (2003). Ventilator withdrawal: Procedures and outcomes. Report of a collaboration between a critical care division and a palliative care service. *Journal of Pain and Symptom Management*, 26(4), 954-961.
- Paice, J. (2003). Mechanisms and management of neuropathic pain in cancer. *Journal of Supportive Oncology*, 1(2), 107-120.
- Paice, J., Von Roenn, J., Hudgins, J., Luong, L., Krejcie, T., & Avram, M. (2007). Topical morphine bioavailability in volunteers. *Journal of Pain*, 8(4), S48.
- Paice, J.A., Von Roenn, J., Hudgins, J.C., Luong, L., Krejcie, T.C., & Avram, M.J. (2008). Morphine bioavailability from a topical gel formulation in volunteers. *Journal of Pain & Symptom Management*, 35(3), 314-320.
- Paice, J.A. (2006). Neurological disturbances. In B.R. Ferrell, & N. Coyle (Eds.), *Textbook of palliative nursing* (2nd ed., pp. 365-374). New York: Oxford University Press.
- Paice, J.A. & Fine, P.G. (2006). Pain at the end of life. In B. R. Ferrell, & N. Coyle (Eds.), *Textbook of palliative nursing* (2nd ed., pp. 131-153). New York, NY: Oxford University Press.
- Paice, J. A., & O’Donnell, J. F. (2004). The cultural experience of cancer pain. In R. J. Moore & D. Spiegel (Eds.), *Cancer, culture, and communication* (pp. 187-219). New York, NY: Kluwer Academic/Plenum Publishers.
- Pasacreta, J., Minarik, P., & Nield-Anderson, L. (2006). Anxiety and depression. In B. R. Ferrell, & N. Coyle. (Eds.), *Textbook of palliative nursing* (2nd ed., pp. 375-400). New York, NY: Oxford University Press.

- Pasero, C., & McCaffery, M. (2005). No self-report means no pain-intensity rating: Assessing pain in patients who cannot provide a report. *American Journal of Nursing*, 105(10), 50-53.
- Patient Self-Determination Act of 1990 (PSDA). Sections 4206 and 4571 of the Omnibus Budget Reconciliation Act of 1990, PL 101-508. Effective December 1, 1991.
- Phipps, E., Tester, W., Pomerantz, S., Quinn, J., Madison-Thompson, N. & Ackler, J. (2005). Addressing pain control in low income cancer patients. *Oncology Issues*, Nov/Dec, 36-40.
- Plonk, W.M., Jr, Arnold, R.M. (2005). Terminal care: The last weeks of life. *Journal of Palliative Medicine*, 8(5), 1042-1054.
- Portenoy, R.K., Taylor, D., Messina, J., & Tremmel, L. (2006). A randomized, placebo-controlled study of fentanyl buccal tablet for breakthrough pain in opioid-treated patients with cancer. *Clinical Journal of Pain*, 22(9), 805-811.
- Potter, J., Hami, F., Bryan, T., & Quigley, C. (2003). Symptoms in 400 patients referred to palliative care services: Prevalence and patterns. *Palliative Medicine*, 17(4), 310-314.
- Potter, J., & Higginson, I.J. (2004). Pain experienced by lung cancer patients: A review of prevalence, causes and pathophysiology. *Lung Cancer*, 43(3), 247-257.
- Preece, J. (2002). Introducing abdominal massage in palliative care for the relief of constipation. *Complementary Therapies in Nursing & Midwifery*, 8(2), 101-105.
- Prendergast, T.J. (2000). Withholding or withdrawal of life-sustaining therapy. *Hospital Practice (Office Edition)*, 35(6), 91-92, 95-100, 102.
- Prendergast, T.J., & Puntillo, K.A. (2002). Withdrawal of life support: Intensive caring at the end of life. *Journal of the American Medical Association*, 289(8), 981.
- Project on Death in America. (1998, September). Dying in prison: A growing problem emerges from behind bars. *PDIA Newsletter (No. 3)*. September 2, 2008 from http://www.soros.org/initiatives/pdia/articles_publications/publications/newsletter_19980901
- Puchalski, C.M., Dorff, R.E., & Hendi, I.Y. (2004). Spirituality, religion, and healing in palliative care. *Clinics in Geriatrics Medicine*, 20(4), 689-714.
- Puntillo, K., & Stannard, D. (2006). The intensive care unit. In B.R. Ferrell & N. Coyle (Eds.), *Textbook of palliative nursing* (2nd ed., pp. 817-833). New York, NY: Oxford University Press.
- Quigley, C., Joel, S., Patel, N., Baksh, A., & Slevin, M. (2003). Plasma concentrations of morphine, morphine-6-glucuronide and morphine-3-glucuronide and their relationship

- with analgesia and side effects in patients with cancer-related pain. *Palliative Medicine*, 17(2), 185-190.
- Quill, T.E. (2000). Initiating end-of-life discussions with seriously ill patients: Addressing the “Elephant in the room.” *Journal of the American Medical Association*, 284(19), 2502-2507.
- Quill, T.E., & Byock, I.R. (2000). Responding to intractable terminal suffering: The role of terminal sedation and voluntary refusal of food and fluids. ACP-ASIM End-of-Life Care Consensus Panel. American College of Physicians-American Society of Internal Medicine. *Annals of Internal Medicine*, 132(5), 408-414.
- Rabow, M. W., Hauser, J. M., & Adams, J. (2004). Supporting family caregivers at the end of life. “They don’t know what they don’t know.” *Journal of the American Medical Association*, 291(4), 483-489.
- Rando, T. (Ed.). (2000). *Clinical dimensions of anticipatory mourning*. Champaign, IL: Research Press.
- Ray, M.C. (1992). *I'm here to help: A hospice worker's guide to communicating with dying people and their loved ones*. New York, NY: Bantam Books.
- Redinbaugh, E., Baum, A., DeMoss, C., Fello, M., & Arnold, R. (2002). Factors associated with the accuracy of family caregiver estimates of patient pain. *Journal of Pain Symptom Management*, 23(1), 31-32.
- Reigle, J., & Boyle, R.J. (2000). Ethical decision-making skills. In A.B. Hamric, J.A. Spross, & C.M. Hanson (Eds.), *Advanced nursing practice: An integrative approach* (2nd ed., pp. 349-378). Philadelphia, PA: W.B. Saunders Company.
- Reisfield, G.M., & Wilson, G.R. (2007). Rational use of sublingual opioids in palliative medicine. *Journal of Palliative Medicine*, 10(2), 465-475.
- Rhiner, M., & Slatkin, N.E. (2006). Pruritus, fever, and sweats. In B. R. Ferrell, & N. Coyle. (Eds.), *Textbook of palliative nursing* (2nd ed., pp. 345-363). New York, NY: Oxford University Press.
- Ripamonti, C., & Bianchi, M. (2002). The use of methadone for cancer pain. *Hematology-Oncology Clinics of North America*, (16)3, 543-555.
- Rosendahl-Masella, S., Sansone, P., & Phillips, M. (2004). *Palliative care in nursing homes: Steps for success: A guide to developing a quality palliative care program*. Riverdale, NY: Schervier Nursing Care Center, Bons Secours New York Health System.
- Rosenthal, M.G. (2004). Prescription for disaster: Commercializing prison health care in South Carolina. Retrieved September 2, 2008 from:

http://www.soros.org/initiatives/justice/articles_publications/publications/gl_prescription_20040412/PrescriptionforDisaster.pdf

- Ross, J.R., Goller, K., Hardy, J., Riley, J., Broadley, K., Ahern, R., & Williams, J. (2005). Gabapentin is effective in the treatment of cancer-related neuropathic pain: A prospective, open-label study. *Journal of Palliative Medicine*, 8(6), 1118-1126.
- Rousseau, P. (2002). Management symptoms in the actively dying patient. In A. M. Berger, R. K. Portenoy, & D. E. Weissman (Eds.), *Principles and practice of supportive oncology* (2nd ed., pp. 789-798). Philadelphia, PA: Lippincott-Raven Publishers.
- Rousseau, P. (2004). Palliative sedation in the management of refractory symptoms. *Journal of Supportive Oncology*, 2(2), 181-186.
- Roy, D.J. (2004). Ethical issues in palliative care. In D. Doyle, G. Hanks, N. Cherney, & K. Calman (Eds.), *Oxford textbook of palliative medicine* (3rd ed., pp. 84-97). Oxford, UK: Oxford University Press.
- Rozans, M., Dreisbach, A., Lertora, J.J.L., & Kahn, M.J. (2002). Palliative uses of methylphenidate in patients with cancer: A review. *Journal of Clinical Oncology*, 20(1), 335-339.
- Rubinfeld, G.D., & Crawford, S.W. (2001). Principles and practice of withdrawing life-sustaining treatment in the ICU. In J.R. Curtis, & G.D. Rubinfeld (Eds.), *Managing death in the intensive care unit* (pp. 127-148). New York, NY: Oxford University Press.
- Saad, F., Gleason, D. M., Murray, R., Tchekmedyian, S., Venner, P., Lacombe, L., et al. (2002). A randomized, placebo-controlled trial of zoledronic acid in patients with hormone-refractory metastatic prostate carcinoma. *Journal of the National Cancer Institute*, 94(19), 1458-1468.
- Sandoval, J.A., Furlan, A.D., & Mailis-Gagnon, A. (2005). Oral methadone for chronic cancer pain: A systematic literature review of reasons for administration, prescription patterns, effectiveness, and side effects. *Clinical Journal of Pain*, 21(6), 503-512.
- Saunders, C. (2004). Forward. In D. Doyle, G. W. C. Hanks, & N. MacDonald (Eds.), *Oxford textbook of palliative care*, (pp. xvii-xx). Oxford, UK: Oxford University Press.
- Schiodt, F.V., Rochling, F.A., Casey, D.L., & Lee, W.M. (1997). Acetaminophen toxicity in an urban county hospital. *New England Journal of Medicine*, 337(16), 1112-1117.
- Schumacher, K.L., West, C., Dodd, M., Paul, S.M., Tripathy, D., Koo, P., & Miaskowski, C.A. (2002). Pain management autobiographies and reluctance to use opioids for cancer pain management. *Cancer Nursing*, 25(2), 125-133.
- Schwartzstein, R., Lahive, K., Pope, A., Weinberger, S., & Weiss, J. (1987). Cold facial

- stimulation reduces breathlessness in normal subjects. *American Review of Respiratory Disease*, 136(1), 58-61.
- Seaman, S. (2006). Management of malignant fungating wound in advanced cancer. *Seminars in Oncology Nursing*, 22(3), 185-193.
- Searight, H. R., Gafford, J. (2005). Cultural diversity at the end of life: Issues and guidelines for family physicians. *American Family Physician*, 71(3), 515-522.
- Sepulveda, C., Marlin, A., Yoshida, T., & Ulrich, A. (2002). Palliative care: The World Health Organization's global perspective. *Journal of Pain & Symptom Management*, 24(2), 91-96.
- Sheehan, D.K., & Schirm, V. (2003). End-of-life care of older adults. *American Journal of Nursing*, 103(11), 48-58.
- Sherman, D. (2004). Cultural and spiritual backgrounds of older adults. In M. Matzo, & D. Sherman (Eds.), *Gerontologic palliative care nursing* (pp. 3 – 47). St. Louis, MO: Mosby.
- Sindrup, S.H., Bach, F.W., Madsen, C., Gram, L.F., & Jensen, T.S. (2003). Venlafaxine versus imipramine in painful polyneuropathy: A randomized, controlled trial. *Neurology*, 60(8), 1284-1289.
- Small, E.J., Smith, M.R., Seaman, J.J., Petrone, S., & Kowalski, M.O. (2003). Combined analysis of two multicenter, randomized, placebo-controlled studies of pamidronate disodium for the palliation of bone pain in men with metastatic prostate cancer. *Journal of Clinical Oncology*, 21(33), 4277-4284.
- Smedley, B.D., Stith, A.Y., & Nelson, A.R. (2003). *Unequal treatment: Confronting racial and ethnic disparities in health care* [Report of the Institute of Medicine]. Washington, DC: National Academy Press.
- Smith, M.C., Kemp, J., Hamphill, L., & Vojir, C.P. (2002). Outcomes of therapeutic massage for hospitalized cancer patients. *Journal of Nursing Scholarships*, 34(3), 257-262.
- Smith, M.T. (2000). Neuroexcitatory effects of morphine and hydromorphone: Evidence implicating the 3-glucuronide metabolites. *Clinical and Experimental Pharmacology and Physiology*, 27(7), 524-528.
- Stanley, K. J. (2002). The healing power of presence. *Oncology Nursing Forum*, 29(6), 935-940.
- Stanley, K.J., & Zoloth-Dorfman, L. (2006). Ethical considerations. In B.R. Ferrell & N. Coyle (Eds.), *Textbook of palliative nursing* (2nd ed., pp. 1031-1053). New York, NY: Oxford University Press.

- State Initiatives in End-of-Life Care: Focus—Diversity and Discrimination (April 2005), Issue 24. [Published by the Center for Practical Bioethics]. Retrieved September 2, 2008 from: http://www.practicalbioethics.org/FileUploads/SI_24.pdf
- Stephenson, N.L., Weinrich, S.P., & Tavakoli, A.S. (2000). The effects of foot reflexology on anxiety and pain in patients with breast and lung cancer. *Oncology Nursing Forum*, 27(1), 67-72.
- SUPPORT Principal Investigators. (1995). A controlled trial to improve care for seriously ill hospitalized patients. The study to understand prognoses and preferences for outcomes and risks of treatment. *Journal of the American Medical Association*, 274(20), 1591-1598.
- Sutton, L.M., Porter, L.S., & Keefe, F.J. (2002). Cancer pain at the end of life: A biopsychosocial perspective. *Pain*, 99(1-2), 5-10.
- Sykes, N. (2004). Constipation and diarrhea. In D. Doyle, G. Hanks, N. Cherney & K. Calman (Eds.), *Oxford textbook of Palliative Medicine* (3rd ed., Chap 8.3.3, pp. 483-496). Oxford, UK: Oxford University Press.
- Sykes N., & Thorns, A. (2003). The use of opioids and sedatives at the end of life. *Lancet Oncology*, 4(5), 312-318.
- Sykes, N., & Thorns, A. (2003). Sedative use in the last week of life and the implications for end-of-life decision making. [Case Reports] *Archives of Internal Medicine*, 163(3), 341-344.
- Tatrow, K., & Montgomery, G.H. (2006). Cognitive behavioral therapy techniques for distress and pain in breast cancer patients: A meta-analysis. *Journal of Behavioral Medicine*, 29(1), 17-27.
- Taylor, E. J. (2001). Spirituality, culture, and cancer care. *Seminars in Oncology Nursing*, 17(3), 197-205.
- Thomas, J.R., & von Gunten, C.F. (2002). Treatment of dyspnea in cancer patients. *Oncology (Huntington)*, 16(6), 745-750.
- Thorns, A., & Sykes, N. (2000). Opioid use in last week of life and implications for end-of-life decision-making. *Lancet*, 356(9227), 398-399.
- Thwaites, D., McCann, S., Broderick, P. (2004) Hydromorphone neuroexcitation. *Journal of Palliative Medicine*, 7(4), 545-550.
- Tice, M.A., (2006). Managing breathlessness: Providing comfort at the end of life. *Home Healthcare Nurse*, 24(4), 207-210.

- Tilden, V.P., Tolle, S.W., Nelson, C.A., & Fields, J. (2001). Family decision-making to withdraw life-sustaining treatments from hospitalized patients. *Nursing Research*, 50(2), 105-115.
- Truog, R.D., Cist, A.F., Brackett, S.E., Burns, J.P., Curley, M.A., Danis, M., et al. (2001). Recommendations for end-of-life care in the intensive care unit: The Ethics Committee of the Society of Critical Care Medicine. *Critical Care Medicine*, 29(12), 2332-2348.
- Tsai, E. (2002). Should family members be present during cardiopulmonary resuscitation? *New England Journal of Medicine*, 346(13), 1019-1021.
- Tulsky, J.A. (2005). Beyond advance directives: Importance of communication skills at the end of life. *Journal of the American Medical Association*, 294(3), 359-365.
- United States Census Bureau/United States Department of Commerce. (2000). *Profiles of general demographics characteristics*. Retrieved September 2, 2008 from: <http://www.census.gov/prod/cen2000/doc/ProfilesTD.pdf>
- Vachon, M.L.S. (2004). The emotional problems of the patient in palliative medicine. In D. Doyle G. Hanks N. Cherny, & K. Calman (Eds.), *Oxford textbook of palliative medicine* (3rd ed., pp. 961-985). Oxford, UK: Oxford University Press.
- Vachon, M.L.S. (2006). The experience of the nurse in end-of-life care in the 21st century. In B. R. Ferrell, & N. Coyle (Eds.), *Textbook of palliative nursing* (2nd ed., pp. 1011-1031). New York, NY: Oxford University Press.
- Vigano, A., Dorgan, M., Buckingham, J., Bruera, E., & Suarez-Almazor, M.E. (2000). Survival prediction in terminal cancer patients: A systematic review of the medical literature. *Palliative Medicine*, 14(5), 353-374.
- Volker, D.L. (2006). Palliative care and requests for assistance in dying. In B.R. Ferrell & N. Coyle (Eds.), *Textbook of palliative nursing* (2nd ed., pp. 1067-1075). New York, NY: Oxford University Press.
- von Gunten, C., Weissman, D.E. & End-of-life physician education resource center (EPERC) (2001). *Fast Facts and Concepts #33: Ventilator withdrawal protocol (Part I)*. Retrieved September 2, 2008 from: http://www.eperc.mcw.edu/fastFact/ff_033.htm
- von Gunten, C., Weissman, D.E. & End-of-life physician education resource center (EPERC) (2001). *Fast Facts and Concepts #34: Symptom control for ventilator withdrawal in the dying patient (Part II)*. Retrieved September 2, 2008 from: http://www.eperc.mcw.edu/fastFact/ff_034.htm
- von Gunten, C., Weissman, D.E. & End-of-life physician education resource center (EPERC) (2001). *Fast Facts and Concepts #35: Information for patients and families about ventilator withdrawal (Part III)*. Retrieved September 2, 2008 from: http://www.eperc.mcw.edu/fastFact/ff_035.htm

- Wallace, K., Ewer, M.D., Price, K.J., & Feeley, T.W. (2002). Outcome and cost implications of cardiopulmonary resuscitation in the medical intensive care unit of a comprehensive cancer center. *Supportive Care in Cancer*, 10(5), 425-429.
- Walsh, K., King, M., Jones, L., Tookman, A., & Blizard, R. (2002). Spiritual beliefs may affect outcome of bereavement: Prospective study. *British Medical Journal*, 324(7353), 1551.
- Walter, L.C., Brand, R.J., Counsell, S.R., Palmer R.M., Landefeld, C.S., Fortinsky, R.H., et al. (2001). Development and validation of a prognostic index for 1-year mortality in older adults after hospitalization. *Journal of the American Medical Association*, 285(23), 2987-2994.
- Ward, S., Hughes, S., Donovan, H., & Serlin, R. C. (2001). Patient education in pain control. *Supportive Care in Cancer*, 9(3), 148-155.
- Wee, B., & Hillier, R. (2008). Interventions for noisy breathing patients near to death. Cochrane Database of Systematic Reviews. Issue 1 Art No. CD005177. DOI: 10.1002/14651858.CC005177.pub.2
- Whitcomb, L.A., Kirsh, K.L., & Passik, S.D. (2002). Substance abuse issues in cancer pain. *Cancer Pain and Headache Reports*, 6(3), 183-190.
- White, C., McCann, M. A., & Jackson, N. (2007). First do no harm... Terminal restlessness or drug- induced delirium. *Journal of Palliative Medicine*, 10(2), 345-351.
- White, K.R., Coyne, P.J., & Patel, U.B. (2001). Are nurses adequately prepared for end-of-life care? *Journal of Nursing Scholarship*, 33(2), 147-151.
- Wilkerson, S., & Mula, C. (2003). Communication in care of the dying. In J. Ellershaw & S. Wilkerson (Eds.), *Care of the dying: A pathway to excellence*. New York, NY: Oxford University Press.

- Wilkie, D.J., Kampell, J., Cutshall, S., Halabisky, H., Harmon, H., Johnson, L.P., et al. (2000). Effects of massage on pain intensity, analgesics and quality of life in patients with cancer pain: A pilot study of a randomized clinical trial conducted within hospice care and deliver. *The Hospice Journal*, 15(3), 31-53.
- Wilson, K. G., Chochinov, H. M., de Faye, B. J., & Breitbart, W. (2000). Diagnosis and management of depression in palliative care. In H. Chochinov and W. Breitbart (Eds.), *Handbook of psychiatry in palliative medicine* (pp. 25-49). Oxford, UK: Oxford University Press.
- Wolfe, J., Grier, H.E., Klar, N., Levin, S.B., Ellenbogen, J.M., Salem-Schatz, S., et al. (2000). Symptoms and suffering at the end of life in children with cancer. *New England Journal of Medicine*, 342(26), 326-333.
- Wolfe, M.M., Lichtenstein, D.R., & Singh, G. (1999). Gastrointestinal toxicity of nonsteroidal anti-inflammatory drugs. *New England Journal of Medicine*, 340(24), 1888-1899.
- Wong, D.L., Hockenberry-Eaton, M., Wilson, D., Winkelstein, M.L. & Schwartz, P. (2001). *Wong's essentials of pediatric nursing* (6th ed.). St. Louis, MO: Mosby, Inc.
- Wong, G.Y., Schroeder, D.R., Carns, P.E., Wilson, J.L., Martin, D.P., Kinney, M.O. et al. (2004). Effect of neurolytic celiac plexus block on pain relief, quality of life, and survival in patients with unresectable pancreatic cancer: a randomized controlled trial. *Journal of the American Medical Association*, 291(9), 1092-1099.
- Wood, G. J., Shega, J. W., Lynch, B., & von Roenn, J. H. (2007). Management of intractable nausea and vomiting in patients at the end of life: I was feeling nauseous all the time...nothing was working. *Journal of the American Medical Association*, 298(10), 1196-1207.
- World Health Organization. (1996). *Cancer pain relief: With a guide to opioid availability* (2nd edition). Geneva, Switzerland: Author.
- World Health Organization. (2002). *National cancer control programmes: Policies and managerial guidelines* (2nd ed.). Geneva, Switzerland: Author.
- Yabroff, K.R., Mandelblatt, J.S., & Ingham, J. (2004). The quality of medical care at the end of life in the USA: Existing barriers and examples of process and outcome measures. *Palliative Medicine*, 18(3), 202-216.
- Yennurajalingam, S., & Bruera, E. (2007). Palliative management of fatigue at the close of life: It feels like my body is just worn out. *Journal of the American Medical Association*, 297(3), 295-304.
- Zambroski, C.H., Moser, D.K., Roser, L.P., Heo, S., & Chung, M.L. (2005). Patients with heart failure who die in hospice. *American Heart Journal*, 149(3), 558-564.

Zareba, G. (2005). Pregabalin: A new agent for the treatment of neuropathic pain. *Drugs of Today*, 41(8), 509-516.

Zoucha, R. (2000). The keys to culturally sensitive care. *American Journal of Nursing*, 100(2), 24GG-24II.

Publications Related to ELNEC

American Journal of Nursing Series:

American Journal of Nursing palliative care series articles were published bi-monthly over a two-and-a-half-year series. The series commenced May 2002 and culminated November, 2004. This 16-part series won three awards:

- 2003 Gold Award from the American Society of Healthcare Publishing Editors,
- 2004 Magnum Opus Award from *Publications Management*, and
- 2004 Pinnacle Award for Nursing Print Media from Sigma Theta Tau International

Coyne, P.J., Lyne, M.E., & Watson, A.C. (2002). Symptom management in people with AIDS. *American Journal of Nursing, 102*(9), 48-56.

Dahlin, C. (2004). Oral complications at the end of life. *American Journal of Nursing, 104*(7), 40-47.

Egan, K.A., & Arnold, R.L. (2003). Grief and bereavement care. *American Journal of Nursing, 103*(9), 42-52.

Ferrell, B.R., & Coyle, N. (2002). An overview of palliative nursing care. *American Journal of Nursing, 102*(5), 26-31.

Griffie, J., Nelson-Marten, P., & Muchka, S. (2004). Acknowledging the “elephant”: Communication in palliative care. *American Journal of Nursing, 104*(1), 48-57.

Haughney, A. (2004). Nausea & vomiting in end-stage cancer. *American Journal of Nursing, 104*(11), 40-48.

Mazanec, P., & Tyler, M.K. (2003). Cultural considerations in end-of-life care. *American Journal of Nursing, 103*(3), 50-58.

Paice, J.A. (2002). Managing psychological conditions in palliative care. *American Journal of Nursing, 102*(11), 36-42.

Panke, J.T. (2002). Difficulties in managing pain at the end of life. *American Journal of Nursing, 102*(7), 26-33.

Pitorak, E.F. (2003). Care at the time of death: How nurses can make the last hours of life a richer, more comfortable experience. *American Journal of Nursing, 103*(7), 42-51.

Rushton, C.H. (2004). Ethics and palliative care in pediatrics. *American Journal of Nursing, 104*(4), 54-63.

Scanlon, C. (2003). Ethical concerns in end-of-life care. *American Journal of Nursing, 103*(1), 48-55.

- Sheehan, D.K., & Schirm, V. (2003). End-of-life care of older adults. *American Journal of Nursing, 103*(11), 48-58.
- Sherman, D.W. (2004). Nurses' stress and burnout. *American Journal of Nursing, 104*(5), 48-56.
- Matzo, M.L. (2004). Palliative care: Prognostication and the chronically ill. *American Journal of Nursing, 104*(9), 40-49.
- Mason, D., Coyle, N., & Ferrell, BR. (2004). Why isn't all care 'palliative care'? *American Journal of Nursing, 104*(11), 11.
- Virani, R. & Sofer, D. (2003). Improving the quality of end-of-life care: Making changes at every level. *American Journal of Nursing, 103* (5), 52-60.

Educational Series:

ELNEC Advisory Board members Dr. Marianne Matzo and Dr. Deborah Sherman coordinated a series of 10 articles about the ELNEC modules.

- Matzo, M.L., Sherman, D.W., Lo, K., Egan, K.A., Grant, M., & Rhome, A. (2003). Strategies for teaching loss, grief, and bereavement. *Nurse Educator, 28*(2), 71-76.
- Matzo, M.L., Sherman, D.W., Mazanec, P., Barber, M.A., Virani, R., & McLaughlin, M.M. (2002). Teaching cultural considerations at the end of life: End-of-Life Nursing Education Consortium program recommendations. *The Journal of Continuing Education in Nursing, 33*(6), 270-278.
- Matzo, M.L., Sherman, D.W., Nelson-Marten, P., Rhome, A., & Grant, M. (2004). Ethical and legal issues in end-of-life care: Content of the End-of-Life Nursing Education Consortium curriculum and teaching strategies. *Journal for Nurses in Staff Development, 20*(2), 59-66.
- Matzo, M.L., Sherman, D.W., Penn, B., & Ferrell, B.R. (2003). The End-of-Life Nursing Education Consortium (ELNEC) experience. *Nurse Educator, 28*(6), 266-270.
- Matzo, M.L., Sherman, D.W., Sheehan, D., Ferrell, B.R., & Penn, B. (2003). Communication skills for end-of-life nursing care: Teaching strategies from the ELNEC curriculum. *Nursing Education Perspectives, 24*(4), 176-183.

- Sherman D.W., Matzo M.L., Coyne P., Ferrell B.R., & Penn B.K. (2004). Teaching symptom management in end-of-life care: The didactic content and teaching strategies based on the end-of-life nursing education curriculum curriculum. *Journal for Nurses in Staff Development*, 20(3), 103-115; quiz 116-117.
- Sherman, D.W., Matzo, M.L., Paice, J., McLaughlin, M., & Virani, R. (2004). Learning pain assessment and management: A goal of the End-of-Life Nursing Education Consortium (ELNEC). *Journal of Continuing Education in Nursing*, 35(3), 107-120.
- Sherman, D.W., Matzo, M.L., Panke, J., Grant, M., & Rhome, A. (2003). End-of-Life Nursing Education Consortium curriculum: An introduction to palliative care. *Nurse Educator*, 28(3), 111-120.
- Sherman, D.W., Matzo, M.L., Pitorak, E., Ferrell, B.R., & Malloy, P. (2005). Preparation and care at the time of death: Content of the ELNEC curriculum and teaching strategies. *Journal for Nurses in Staff Development*, 21(3), 93-100.
- Sherman, D.W., Matzo, M.L., Rogers, S., McLaughlin, M., & Virani R. (2002). Achieving quality care at the end of life: A focus of the End-of-Life Nursing Education Consortium (ELNEC) curriculum. *Journal of Professional Nursing*, 18(5), 255-262.

Outcomes:

The following publications include outcomes data from the follow up evaluation of ELNEC courses.

- Coyne, P., Paice, J.A., Ferrell, B.R., Malloy, P., Virani, R., & Fennimore, L.A. (2007). Oncology End-of-Life Nursing Education Consortium training program: Improving palliative care in cancer. *Oncology Nursing Forum*, 34(4), 801-807.
- Ferrell, B.R., Dahlin, C., Campbell, M.L., Paice, J.A., Malloy, P., & Virani, R. (2007). End-of-Life Nursing Education Consortium (ELNEC) training program: Improving palliative care in critical care. *Critical Care Nursing Quarterly*, 30(3), 206-212.
- Ferrell, B.R., Virani, R., Grant, M., Rhome, A., Malloy, P., Bednash, G., & Grimm, M. (2005). Evaluation of the End-of-Life Nursing Education Consortium (ELNEC) undergraduate faculty training program. *Journal of Palliative Medicine*, 8(1), 107-114.
- Ferrell, B.R., Virani, R., Malloy, P. (2006). Evaluation of end-of-life nursing education consortium project in the USA. *International Journal of Palliative Nursing*, 12(6), 269-276.

- Kelly, K., Ersek, M., Virani, R., Malloy, P., & Ferrell, B. (2008). End-of-Life Nursing Education Consortium Geriatric training program: Improving palliative care in community geriatric care settings. *Journal of Gerontological Nursing, 34*(5), 28-35.
- Malloy, P., Ferrell, B.R., Virani, R., Uman, G., Rhome, A., Whitlatch, B., & Bednash, G. (2006). Evaluation of end-of-life nursing education for continuing education and clinical staff development educators. *Journal for Nurses in Staff Development, 22*(1), 31-36.
- Malloy, P., Ferrell, B.R., Virani, R., Wilson, K., & Uman, G. (2006). Palliative care education for pediatric nurses. *Pediatric Nursing, 32*(6), 555-561.
- Malloy, P., Sumner, E., Virani, R., & Ferrell, B. End-of-Life Nursing Education Consortium for Pediatric Palliative Care (ELNEC-PPC). *MCN: The American Journal of Maternal/Child Nursing, 32*(5), 298-302.
- Malloy, P., Virani, R., Kelly, K., Harrington-Jacobs, H., & Ferrell, B. (2008). Seven years and 50 courses later: End-of-Life Nursing Education Consortium (ELNEC) continues commitment to provide excellent palliative care education. *Journal of Hospice and Palliative Nursing, 10*(4), 233-239.
- Paice, J.A., Ferrell, B.R., Coyle, N., Coyne, P., & Callaway, M. (2007). Global efforts to improve palliative care: The International End-of-Life Nursing Education Consortium Training Programme. *Journal of Advanced Nursing, 61*(2), 173-180.
- Paice, J.A., Ferrell, B.R., Virani, R., Grant, M., Malloy, P., & Rhome, A. (2006). Graduate nursing education regarding end-of-life care. *Nursing Outlook, 54*(1), 46-52.
- Paice, J.A., Ferrell, B.R., Virani, R., Grant, M., Malloy, P., & Rhome, A. (2006). Appraisal of the Graduate End-of-Life Nursing Education Consortium (ELNEC) training program. *Journal of Palliative Medicine, 9*(2), 353-360.